

wheel spacer adapter for different centre bores

model/type	bolt pattern	centre bore	rim	bolt pattern	centre bore	thickness	System	part-no.	OVH
Opel	4/100	56,6		4/100	64,0	5 mm	DR	1024566640	123
						8 mm	DR	1624566640	123
						10 mm	DR	2024566640	123
Audi/VW/Seat/ Skoda/BMW E30	4/100+108	57,1		4/100+108	63,3	5 mm	DR	10234571633	63
						8 mm	DR	16234571633	76
						10 mm	DR	20234571633	88
Audi/VW/Seat/ Skoda/BMW E30	4/100+108	57,1		4/100+108	64,0	5 mm	DR	10234571640	63
						8 mm	DR	16234571640	76
						10 mm	DR	20234571640	88
Audi/VW/Seat/ Skoda/BMW E30	4/100+108	57,1		4/100+108	68,0	5 mm	DR	10234571680	63
						8 mm	DR	16234571680	76
						10 mm	DR	20234571680	88
Audi/VW/Seat/ Skoda/BMW E30	4/100+108	57,1		4/100+108	72,5	5 mm	DR	10234571725	63
						8 mm	DR	16234571725	76
						10 mm	DR	20234571725	88
Audi/VW/Seat/ Skoda/BMW E30	4/100+108	57,1		4/100+108	84,0	5 mm	DR	10234571840	63
						8 mm	DR	16234571840	76
						10 mm	DR	20234571840	88
Renault	4/100+114,3	60,1		4/100+108	63,4	5 mm	DR	10264601634	63
						8 mm	DR	16264601634	76
						10 mm	DR	20264601634	88
Audi/VW/Seat/Skoda	5/100+112	57,1		5/100+112	63,3	5 mm	DR	10255571633	63
						8 mm	DR	16255571633	76
						10 mm	DR	20255571633	88
Audi/VW/Seat/Skoda	5/100+112	57,1		5/100+112	64,0	5 mm	DR	10255571640	63
						8 mm	DR	16255571640	76
						10 mm	DR	20255571640	88
Audi/VW/Seat/Skoda	5/100+112	57,1		5/100+112	66,5	5 mm	DR	1055571665	63
						8 mm	DR	1655571665	76
						10 mm	DR	2055571665	88
Audi/VW/Seat/Skoda	5/100+112	57,1		5/100+112	68,0	5 mm	DR	10255571680	63
						8 mm	DR	16255571680	76

					10 mm	DR	20255571680	88	
Audi/VW/Seat/Skoda	5/100+112	57,1		5/100+112	70,1	5 mm	DR	10255571701	63
(ø 145 mm)						8 mm	DR	16255571701	76
						10 mm	DR	20255571701	88
Audi/VW/Seat/Skoda	5/100+112	57,1		5/100+112	70,1	5 mm	DR	1055571701	63
(ø 150 mm)						8 mm	DR	1655571701	76
						10 mm	DR	2055571701	88
Audi/VW/Seat/Skoda	5/100+112	57,1		5/100+112	72,5	5 mm	DR	10255571725	63
(ø 145 mm)						8 mm	DR	16255571725	76
						10 mm	DR	20255571725	88
Audi/VW/Seat/Skoda	5/100+112	57,1		5/100+112	72,5	5 mm	DR	1055571725	63
(ø 150 mm)						8 mm	Dr	1655571725	76
						10 mm	Dr	2055571725	88
Audi/VW/Seat/Skoda	5/100+112	57,1		5/100+112	73,1	5 mm	DR	1055571731	63
						8 mm	DR	1655571731	76
						10 mm	DR	2055571731	88
Audi/VW/Seat/Skoda	5/100+112	57,1		5/100+112	78,1	5 mm	DR	10255571781	63
						8 mm	DR	16255571781	76
						10 mm	DR	20255571781	88
Audi/VW/Seat/Skoda	5/100+112	57,1		5/100+112	79,0	5 mm	DR	1055571790	63
						8 mm	DR	1655571790	76
						10 mm	DR	2055571790	88
Audi/VW/Seat/Skoda	5/100+112	57,1		5/100+112	84,0	5 mm	DR	10255571840	63
						8 mm	DR	16255571840	76
						10 mm	DR	20255571840	88
Audi/Porsche	5/112	66,45		5/112	75,0	5 mm	DR	10556645750	63
						10 mm	DR	20556645750	88
						15 mm	DR	30556645750	101
						20 mm	DR	40556645750	107
Mercedes Benz	5/112	66,5		5/112	70,4	5 mm	DR	1055665704	63
Mercedes Benz	5/112	66,5		5/112	72,5	5 mm	DR	1055665725	63
					72,5	10 mm	DR	2055665725	88
Mercedes Benz	5/112	66,5		5/112	73,1	5 mm	DR	1055665731	63
					73,1	8 mm	DR	1655665731	76
					73,1	10 mm	DR	2055665731	88
Mercedes Benz	5/112	66,5		5/112	76,0	5 mm	DR	1055665760	63
Mercedes Benz	5/112	66,5		5/112	78,1	5 mm	DR	1055665781	63
						8 mm	DR	1655665781	76
						10 mm	DR	2055665781	88
Mercedes Benz	5/112	66,5		5/112	79,0	5 mm	DR	1055665790	63
						8 mm	DR	1655665790	76

					10 mm	DR	2055665790	88	
BMW	5/120	72,5		5/120	74,0	5 mm	DR	1075725740	63
						10 mm	DR	2075725740	88
						15 mm	DR	3075725740	106
						20 mm	DR	4075725740	113
BMW	5/120	72,5		5/120	76,1	5 mm	DR	1075725761	63
						10 mm	DR	2075725761	88
BMW	5/120	74,0		5/120	72,5	15 mm	DR	3075740725	101
M12x1,5						20 mm	DR	4075740726	107
						20 mm	DRA M12x1,5	4075740725	129
						25 mm	DRA M12x1,5	5075740725	129
						30 mm	DRA M12x1,5	6075740725	136
						35 mm	DRA M12x1,5	7075740725	180
BMW	5/120	74,0		5/120	72,5	15 mm	DR	3075740725	101
M14x1,25						20 mm	DR	4075740726	107
						25 mm	DRA M14x1,25	507574047254	166
						30 mm	DRA M14x1,25	607574047254	173
						35 mm	DRA M14x1,25	707574047254	180
						40 mm	DRA M14x1,25	807574047254	186
						45 mm	DRA M14x1,25	907574047254	193
						50 mm	DRA M14x1,25	1007574047254	200

Remove centering-ring from the wheel and measure the inside-dimension of the wheel.