

Merkki/Malli	Moottori/Korimalli	Vuosimalli	max akselipainot		Teho
			EA	TA	kW
			VA	HA	kW

Madallus mm		Huom.	KW DDC PLUG & PLAY		KW DDC ECU	
EA	TA		DDC Plug & Play		DDC ECU	
VA	HA		Tuotekoodi	OVH	Tuotekoodi	OVH

ASTON MARTIN

V8 Vantage, V8 Vantage S; (VH2)	Coupé; 4.7 Kolbenstangengewinde Ø10mm /coupé; 4.7 thread piston rod Ø10mm	10/08-	-985	-1105	313-321
	Coupé; 4.7 Kolbenstangengewinde Ø12mm /coupé; 4.7 thread piston rod Ø12mm	10/08-	-985	-1105	313-321
	Roadster; Kolbenstangengewinde Ø10mm /roadster; thread piston rod Ø10mm	01/07-	-985	-1105	283-321
	Roadster; Kolbenstangengewinde Ø12mm /roadster; thread piston rod Ø12mm	01/07-	-985	-1105	283-321

10-35	10-35	1)	-		39033001	4897
10-35	10-35	1)	-		39033002	4897
10-35	10-35	1)	-		39033001	4897
10-35	10-35	1)	-		39033002	4897

AUDI

A3; (8P)	inkl. Sportback; Frontantrieb /incl. Sportback; 2WD Federbein Ø 55mm / susp strut Ø 55mm	03/03-	-1035	-1005	75-110
			1036-1105	-1005	75-110
			1106-1170	-1005	100-147
	inkl. Sportback; Quattro /incl. Sportback; 4WD Federbein Ø 55mm / susp strut Ø 55mm	09/03-	-1105	-1160	147
			1106-1170	-1160	100-184

35-65	35-65	2),37),57)	-		39010001	2917
35-65	35-65	2),37),57)	-		39010002	2917
35-65	35-65	2),37),57)	-		39010003	2917
25-55	25-55	2),37),57)	-		39010004	2917
25-55	25-55	2),37),57)	-		39010005	2917

S3; (8P)	inkl. Sportback, Federbein Ø 55mm /incl. Sportback, susp. Strut Ø 55mm	01/07-	-1130	-1085	195
----------	--	--------	-------	-------	-----

10-40	10-40	2),37),57)	-		39010005	2917
-------	-------	------------	---	--	----------	------

RS3; (8P)	Sportback; Quattro / Sportback; 4WD	03/11-	-1150	-1100	250
-----------	-------------------------------------	--------	-------	-------	-----

5-35	0-25	2)	-		39010035	2917
------	------	----	---	--	----------	------

A3; (8V)	incl. sedan + Sportback; 2WD; only vehicles with IRS Federbein Ø 50mm / susp strut Ø 50mm	05/12-	-980	-990	77-135
			981-1075	-990	77-135
	incl. sedan + Sportback; 2WD; only vehicles with IRS Federbein Ø 55mm / susp strut Ø 55mm	05/12-	-980	-990	77-135
			981-1075	-990	77-135
	Cabrio; Frontantrieb; nur Fahrzeuge mit Mehrlenker-Hinterachse convertible; 2WD; only vehicles with IRS Federbein Ø 50mm / susp strut Ø 50mm	03/14-	-980	-1050	81-135
			981-1090	-1050	81-135
	Cabrio; Frontantrieb; nur Fahrzeuge mit Mehrlenker-Hinterachse convertible; 2WD; only vehicles with IRS Federbein Ø 55mm / susp strut Ø 55mm	03/14-	-980	-1050	81-135
			981-1090	-1050	81-135
	incl. sedan + Sportback; 4WD; susp strut Ø 55mm; only vehicles with IRS	05/12-	-1100	-1080	110-135

30-60	30-55	2),37),58)	-		39010045	2917
30-60	30-55	2),37),58)	-		39010042	2917
30-60	30-55	2),37),57)	-		39010047	2917
30-60	30-55	2),37),57)	-		39010048	2917
30-60	30-55	2),37),58)	-		39010050	2917
30-60	30-55	2),37),58)	-		39010051	2917
30-60	30-55	2),37),57)	-		39010052	2917
30-60	30-55	2),37),57)	-		39010053	2917
30-60	30-55	2),37),57)	-		39010049	2917

S3; (8V)	inkl. Lim. + Sportback /incl. sedan + Sportback	05/13-	-1100	-1080	221-228
----------	---	--------	-------	-------	---------

0-30	5-30	2),37),57)	-		39010049	2917
------	------	------------	---	--	----------	------

RS3; (8V)	Sportback; Quattro / Sportback; 4WD	06/15-	-1080	-1030	270-294
-----------	-------------------------------------	--------	-------	-------	---------

10-35	10-35	2),37),57)	-		39010055	2917
-------	-------	------------	---	--	----------	------

TT; (8J)	Coupé; Quattro, Federbein Ø 55mm /coupé; 4WD, susp strut Ø 55mm	09/06-	-1035	-870	125-184
	Roadster; Quattro, Federbein Ø 55mm /roadster; 4WD, susp strut Ø 55mm	04/07-	-1040	-870	125-184

10-35	5-30	2),37),57)	-		39010010	2917
10-35	5-30	2),37),57)	-		39010012	2917

TTS; (8J)	Coupé; Quattro, Federbein Ø 55mm /coupé; 4WD, susp strut Ø 55mm	06/08-	-1035	-885	200
	Roadster; Quattro, Federbein Ø 55mm /roadster; 4WD, susp strut Ø 55mm	06/08-	-1040	-885	200

10-35	5-30	2),37),57)	-		39010010	2917
10-35	5-30	2),37),57)	-		39010012	2917

TT RS; (8J)	Coupé; Quattro, Federbein Ø 55mm /coupé; 4WD, susp strut Ø 55mm	05/09-	-1060	-870	250-265
	Roadster; Quattro, Federbein Ø 55mm /roadster; 4WD, susp strut Ø 55mm	05/09-	-1060	-870	250-265

0-25	0-20	2),37),57)	-		39010010	2917
0-25	0-20	2),37),57)	-		39010012	2917

TT; Mod.2015 (8J)	Coupé; Quattro, Federbein Ø 55mm /coupé; 4WD, susp strut Ø 55mm	10/14-	-1070	-885	169
-------------------	---	--------	-------	------	-----

20-50	20-45	2),37),57)	-		39010054	2917
-------	-------	------------	---	--	----------	------

TTS; Mod.2015 (8J)	Coupé; Quattro, Federbein Ø 55mm /coupé; 4WD, susp strut Ø 55mm	10/14-	-1070	-885	228
--------------------	---	--------	-------	------	-----

10-40	10-35	2),37),57)	-		39010054	2917
-------	-------	------------	---	--	----------	------

A4; (B8, B81)	Lim.; Frontantrieb /sedan; 2WD	11/07-09/15	-1080	-1245	88-155
			1081-1180	-1245	100-155
	Lim.; Quattro /sedan; 4WD	11/07-09/15	-1080	-1225	88-200
			1081-1225	-1225	100-200
	Avant; Quattro /station wagon; 4WD	04/08-09/15	-1080	-1225	88-200
			1081-1215	-1225	100-200

25-55	25-50	2),37)	-		39010027	3073
25-55	25-50	2),37)	-		39010028	3073
25-55	25-50	2),37)	-		39010021	3073
25-55	25-50	2),37)	-		39010022	3073
25-55	25-50	2),37)	-		39010023	3073
25-55	25-50	2),37)	-		39010024	3073

S4; (B8, B81)	Lim.; Quattro / <i>sedan</i> ; 4WD	11/08-	-1225	-1225	245	15-45	15-40	2),37)	-		39010022	3073
	Avant; Quattro / <i>station wagon</i> ; 4WD	11/08-	-1225	-1250	245	15-45	15-40	2),37)	-		39010024	3073
A5; (B8, B81)	Coupé; Frontantrieb, Quattro / <i>coupé</i> ; 2WD, 4WD	05/07-	-1080	-1250	125	25-55	25-50	2),37)	-		39010027	3073
			1081-1250	-1250	120-195	25-55	25-50	2),37)	-		39010028	3073
	Coupé; Frontantrieb, Quattro / <i>coupé</i> ; 2WD, 4WD inklusive HLS 4 / <i>inclusive HLS 4</i>	05/07-	-1080	-1240	125	25-55	25-50	2),37)	-		39010043	6773
			1081-1245	-1240	120-195	25-55	25-50	2),37)	-		39010044	6773
A5 Sportback; (B8, B81)	Frontantrieb, Quattro / <i>2WD, 4WD</i>	09/09-	-1080	-1250	100-155	25-55	25-50	2),37)	-		39010027	3073
			1081-1250	-1250	118-195	25-55	25-50	2),37)	-		39010028	3073
	Frontantrieb, Quattro / <i>2WD, 4WD</i> inklusive HLS 4 / <i>inclusive HLS 4</i>	09/09-	-1080	-1240	100-155	25-55	25-50	2),37)	-		39010043	6773
			1081-1245	-1240	118-195	25-55	25-50	2),37)	-		39010044	6773
S5; (B8, B81)	Coupé; Quattro / <i>coupé</i> ; 4WD	06/07-	-1250	-1250	245-260	15-45	15-40	2),37)	-		39010028	3073
	Coupé; Quattro inklusive HLS 4 / <i>coupé</i> ; 4WD <i>inclusive HLS 4</i>	06/07-	-1245	-1240	245-260	15-45	15-40	2),37)	-		39010044	6773
RS5; (B8)	Coupé; Quattro / <i>coupé</i> ; 4WD	04/10-	-1260	-1250	331	5-30	10-30	2),37)	-		39010028	3073
	Coupé; Quattro inklusive HLS 4 / <i>coupé</i> ; 4WD <i>inclusive HLS 4</i>	04/10-	-1245	-1240	331	5-30	10-30	2),37)	-		39010044	6773
A6; (4G, 4G1)	Lim.; Frontantrieb, Quattro / <i>sedan</i> ; 2WD, 4WD	03/11-	-1170	-1250	100-245	40-65	40-65	2),8),62)	-		39010036	3073
			1171-1305	-1250	100-245	40-65	40-65	2),8),62)	-		39010037	3073
	Avant; Frontantrieb, Quattro / <i>station wagon</i> ; 2WD, 4WD	09/11-	-1170	-1425	100-245	40-65	40-65	2),8),62)	-		39010038	3073
			1171-1320	-1425	100-245	40-65	40-65	2),8),62)	-		39010039	3073
RS Q3; (8U)	Quattro / 4WD	08/13-	-1200	-1170	228-270	15-45	15-45	2),37),57)	-		39010046	2917
Q5; (8R)	Frontantrieb, Allrad / <i>2WD, 4WD</i>	09/08-	-1220	-1360	105-199	40-80	45-85	2),37)	-		39010040	3073
			1221-1325	-1360	105-199	40-80	45-85	2),37)	-		39010041	3073
SQ5; (8R, 8R1)	Quattro / 4WD	09/12-	1221-1325	-1360	230-260	5-45	10-50	2),37)	-		39010041	3073
BMW												
1er / 1-series (E81, E87); (187,1K2,1K4)		09/04-08/11	-920	-1060	85-195	35-65	35-65	2),6)	-		39020001	2969
1er / 1-series (E82, E88); (182,1C)	Coupé	10/07-	-945	-1070	100-225	30-55	25-50	2),6)	-		39020002	2969
	Cabrio / <i>convertible</i>	03/08-	-960	-1115	105-225	30-55	25-50	2),6)	-		39020003	2969
1er / 1-series M Coupé (E82); (M-V)		04/11-	-940	-1030	250	10-35	5-25	2)	-		39020004	3126
1er / 1-series (F20, F21); (1K2, 1K4)	Heckantrieb; ohne elektronische Dämpferregelung <i>2WD</i> ; <i>without electronic dampers</i>	09/11-	-920	-1230	70-160	25-50	30-55	2),62)	-		39020015	2990
			921-1090	-1230	235-250	25-50	30-55	2),62)	-		39020019	2990
	Heckantrieb; mit elektronischer Dämpferregelung <i>2WD</i> ; <i>with electronic dampers</i>	09/11-	-920	-1230	70-160	25-50	30-55	2),55)	39020014	2604	-	
			921-1090	-1230	235-250	25-50	30-55	2),55)	39020018	2604	-	
	Allrad; ohne elektronische Dämpferregelung <i>4WD</i> ; <i>without electronic dampers</i>	09/12-	-1000	-1120	110-151	30-55	30-55	2),62)	-		39020026	2990
			1001-1020	-1120	235-250	30-55	30-55	2),62)	-		39020027	2990
	Allrad; mit elektronischer Dämpferregelung <i>4WD</i> ; <i>with electronic dampers</i>	09/12-	-1000	-1120	110-151	30-55	30-55	2),55)	39020022	2604	-	
			1001-1020	-1120	235-250	30-55	30-55	2),37)	-		39020026	2990
					30-55	30-55	2),55)	39020023	2604	-		
							2),37)	-		39020027	2990	
1er / 1-series M135i / M140i (F20, F21); (1K2, 1K4)	Heckantrieb; ohne elektronische Dämpferregelung <i>2WD</i> ; <i>without electronic dampers</i>	09/11-	921-1090	-1230	235-250	25-50	30-55	2),6),62)	-		39020019	2990
	Heckantrieb; mit elektronischer Dämpferregelung <i>2WD</i> ; <i>with electronic dampers</i>	09/11-	921-1090	-1230	235-250	25-50	30-55	2),6),55)	39020018	2604	-	
	Allrad; ohne elektronische Dämpferregelung <i>4WD</i> ; <i>without electronic dampers</i>	09/12-	1001-1020	-1120	235-250	30-55	30-55	2),6),62)	-		39020027	2990
	Allrad; mit elektronischer Dämpferregelung <i>4WD</i> ; <i>with electronic dampers</i>	09/12-	1001-1020	-1120	235-250	30-55	30-55	2),6),55)	39020023	2604	-	
							2),6),37)	-		39020027	2990	
2er / 2-series (F22, F23); (1C)	Coupé; Heckantrieb; ohne elektronische Dämpferregelung <i>coupé</i> ; 2WD; <i>without electronic dampers</i>	02/14-	-920	-1230	105-250	25-50	25-50	2),62)	-		39020015	2990
			921-1090	-1230	105-250	25-50	25-50	2),62)	-		39020019	2990
	Coupé; Heckantrieb; mit elektronischer Dämpferregelung <i>coupé</i> ; 2WD; <i>with electronic dampers</i>	02/14-	-920	-1230	105-250	25-50	25-50	2),55)	39020014	2604	-	
			921-1090	-1230	105-250	25-50	25-50	2),55)	39020018	2604	-	

	Coupé; Allrad; ohne elektronische Dämpferregelung <i>coupé</i> ; 4WD; without electronic dampers	02/14-	-1000	-1120	140	25-50	15-45	2),62)	-		39020026	2990
			1001-1020	-1120	250	5-30	0-25	2),62)	-		39020027	2990
	Coupé; Allrad; mit elektronischer Dämpferregelung <i>coupé</i> ; 4WD; with electronic dampers	02/14-	-1000	-1120	140	25-50	15-45	2),55)	39020022	2604	-	
			1001-1020	-1120	250	5-30	0-25	2),37)	-		39020026	2990
Cabrio; Heckantrieb; mit elektronischer Dämpferregelung <i>convertible</i> ; 2WD; with electronic dampers	01/15-	-1005	-1230	100-250	30-55	30-55	2),55)	39020018	2604	-		
	01/15-	-1005	-1145	240-250	30-55	20-50	2),55)	39020023	2604	-		
2er / 2-series M235i / M240i (F22, F23); (1C)	Coupé; Heckantrieb; ohne elektronische Dämpferregelung <i>coupé</i> ; 2WD; without electronic dampers	02/14-	921-1090	-1230	240-250	10-35	5-35	2),6),62)	-		39020019	2990
		02/14-	921-1090	-1230	240-250	10-35	5-35	2),6),55)	39020018	2604	-	
	Coupé; Heckantrieb; mit elektronischer Dämpferregelung <i>coupé</i> ; 2WD; with electronic dampers	02/14-	1001-1020	-1120	240-250	5-30	0-25	2),6),62)	-		39020027	2990
		02/14-	1001-1020	-1120	240-250	5-30	0-25	2),6),55)	39020023	2604	-	
	Cabrio; Heckantrieb; mit elektronischer Dämpferregelung <i>convertible</i> ; 2WD; with electronic dampers	01/15-	-1005	-1230	100-250	25-50	15-40	2),6),55)	39020018	2604	-	
		01/15-	-1005	-1145	240-250	10-35	0-30	2),6),55)	39020023	2604	-	
3er / 3-series (E90, E91); (390L, 3L, 3K)	Lim. / sedan	04/05-	-1090	-1135	85-240	30-60	25-55	2)	-		39020005	2969
	Touring / station wagon	09/05-	-1090	-1200	85-240	30-60	20-50	2)	-		39020006	2969
3er / 3-series (E93); (392C, 3C)	Cabrio / convertible	03/07-	-1090	-1200	125-240	30-60	20-50	2)	-		39020007	2969
3er / 3-series (E92); (392C, 3C)	Coupé	09/06-	-1035	-1110	105-240	20-50	15-45	2)	-		39020008	2969
M3 (E92,E93); (M390, M3) ohne EDC / without EDC	Lim., Coupé / sedan, coupé	09/07-	-1060	-1190	309	10-40	5-35	2)	-		39020009	3126
	Cabrio / convertible	12/07-	-1060	-1270	309	10-35	5-35	2)	-		39020010	3126
M3 (E92,E93); (M390, M3) mit EDC / with EDC	Lim., Coupé / sedan, coupé	09/07-	-1060	-1190	309	10-40	5-35	2),88)	-		39020011	3438
	Cabrio / convertible	12/07-	-1060	-1270	309	10-35	5-35	2),88)	-		39020012	3438
3er / 3-series (F30, F31); (3L, 3K)	Lim.; Heckantrieb ohne elektronische Dämpferregelung <i>sedan</i> ; 2WD without electronic dampers	02/12-	-950	-1230	85-190	40-65	30-60	2),62)	-		39020013	2990
			951-1090	-1230	150-265	40-65	30-60	2),62)	-		39020017	2990
	Lim.; Heckantrieb mit elektronischer Dämpferregelung <i>sedan</i> ; 2WD with electronic dampers	02/12-	-950	-1230	85-190	40-65	30-60	2),55)	39020014	2604	-	
			951-1090	-1230	150-265	40-65	30-60	2),55)	39020018	2604	-	
	Lim.; Allrad ohne elektronische Dämpferregelung <i>sedan</i> ; 4WD without electronic dampers	02/12-	-1000	-1180	120-265	25-55	30-60	2),62)	-		39020030	2990
			1001-1090	-1180	120-265	25-55	30-60	2),62)	-		39020031	2990
	Lim.; Allrad mit elektronischer Dämpferregelung <i>sedan</i> ; 4WD with electronic dampers	02/12-	-1000	-1180	120-265	25-55	30-60	2),55)	39020028	2604	-	
			1001-1090	-1180	120-265	25-55	30-60	2),37)	-		39020030	2990
	Touring; Heckantrieb ohne elektronische Dämpferregelung / station wagon 2WD without electronic dampers	08/12-	-913	-1265	85-160	40-65	30-55	2),62)	-		39020024	2990
			914-1020	-1265	85-265	40-65	30-55	2),62)	-		39020025	2990
	Touring; Heckantrieb mit elektronischer Dämpferregelung / station wagon 2WD with electronic dampers	08/12-	-913	-1265	85-160	40-65	30-55	2),55)	39020020	2604	-	
			914-1020	-1265	85-265	40-65	30-55	2),55)	39020021	2604	-	
	Touring; Allrad ohne elektronische Dämpferregelung / station wagon 4WD without electronic dampers	08/12-	-1000	-1260	105-265	25-55	35-60	2),62)	-		39020035	2990
			1001-1090	-1260	105-265	25-55	35-60	2),62)	-		39020036	2990
Touring; Allrad mit elektronischer Dämpferregelung / station wagon 4WD with electronic dampers	08/12-	-1000	-1260	105-265	25-55	35-60	2),55)	39020033	2604	-		
		1001-1090	-1260	105-265	25-55	35-60	2),37)	-		39020035	2990	
					25-55	35-60	2),55)	39020034	2604	-		
							2),37)	-		39020036	2990	
3er GT / 3-series GT (F34); (3-V)	Lim.; Heckantrieb mit elektronischer Dämpferregelung / sedan 2WD with electronic dampers	05/13-	-950	-1265	100-240	30-55	15-40	2),55)	39020020	2604	-	
			951-1015	-1265	100-240	30-55	15-40	2),55)	39020021	2604	-	
M3 (F80); (M3)	mit elektronischer Dämpferregelung / with electronic dampers	04/14-	-990	-1170	317-331	15-40	15-40	2),55)	39020039	-		
4er / 4-series (F32, F33, F36); (3C)	Coupé; Heckantrieb ohne elektronische Dämpferregelung <i>coupé</i> ; 2WD without electronic dampers	10/13-	-950	-1230	120-265	40-65	30-60	2),62)	-		39020013	2990
			951-1090	-1230	120-265	40-65	30-60	2),62)	-		39020017	2990
	Coupé; Heckantrieb mit elektronischer Dämpferregelung <i>coupé</i> ; 2WD with electronic dampers	10/13-	-950	-1230	120-265	40-65	30-60	2),55)	39020014	2604	-	
			951-1090	-1230	120-265	40-65	30-60	2),55)	39020018	2604	-	
	Coupé; Allrad mit elektronischer Dämpferregelung <i>coupé</i> ; 4WD with electronic dampers	10/13-	-1000	-1180	120-265	30-60	35-60	2),55)	39020028	2604	-	
			1001-1090	-1180	120-265	30-60	35-60	2),55)	39020029	2604	-	
Gran Coupé; Heckantrieb mit elektronischer Dämpferregelung <i>Gran Coupé</i> ; 2WD with electronic dampers	03/14-	-950	-1265	100-265	40-65	40-65	2),55)	39020020	2604	-		

			951-1015	-1265	100-265	40-65	40-65	2),55)	39020021	2604	-	
	Gran Coupé; Allrad mit elektronischer Dämpferregelung <i>Gran Coupé; 4WD with electronic dampers</i>	03/14-	-1000	-1260	120-265	25-55	35-60	2),55)	39020033	2604	-	
			1001-1090	-1260	120-265	25-55	35-60	2),55)	39020034	2604	-	
	Cabrio; Heckantrieb mit elektronischer Dämpferregelung <i>convertible; 2WD with electronic dampers</i>	03/14-	-960	-1265	120-180	40-65	40-65	2),55)	39020020	2604	-	
			961-1025	-1265	120-265	40-65	40-65	2),55)	39020021	2604	-	
	Cabrio; Allrad mit elektronischer Dämpferregelung <i>convertible; 4WD with electronic dampers</i>	03/14-	-1095	-1230	180-265	35-55	30-55	2),55)	39020038	2604	-	
M4 (F82); (M3)	Coupé; mit elektronischer Dämpferregelung <i>icoupé; with electronic dampers</i>	04/14-	-990	-1170	317-331	15-40	15-40	2),55)	39020039		-	
Ser / S-series (F10, F11); (5L, 5K)	Lim.; Heckantrieb / <i>sedan; 2WD</i>	03/10-	-1195	-1315	135-300	25-55	20-50	1),37)	-		39020016	3126
	Touring; Heckantrieb / <i>station wagon; 2WD</i>	04/10-	-1195	-1420	120-300	10-40	5-35	37),42)	-		39020037	3126
X3 (F25); (X3, X-N1)	Allrad; mit elektronischer Dämpferregelung <i>4WD; with electronic dampers</i>	11/10-	-1180	-1360	120-230	30-50	30-60	1),55)	39020032	2604	-	
X4 (F26); (X3, X-N1)	mit elektronischer Dämpferregelung <i>with electronic dampers</i>	06/14-	-1180	-1360	120-230	30-50	40-70	1),55)	39020032	2604	-	
LAND ROVER												
Range Rover Evoque; (LV)	Allrad inkl. Coupé / <i>4WD incl. coupé</i>	09/11-	-1300	-1145	110-177	25-55	25-65	1),37)	-		39055001	3647
MERCEDES-BENZ												
C-Klasse / c-class; (W204); (204, 204K) ohne elektronische Dämpferregelung <i>without electronic dampers</i>	Lim. / <i>sedan</i>	01/07-	-975	-1165	115-150	30-55	20-50	2),37)	-		39025001	3073
			976-1020	-1165	100-200	30-55	20-50	2),37)	-		39025002	3073
			1021-1100	-1165	165	30-55	20-50	2),37)	-		39025003	3073
	Coupé / <i>coupé</i>	06/11-	-985	-1105	115	10-40	10-50	2),37)	-		39025001	3073
			986-1040	-1105	150-225	10-40	10-50	2),37)	-		39025002	3073
			1041-1075	-1105	120-150	10-40	10-50	2),37)	-		39025003	3073
C-Klasse / c-class; (W204); (204, 204K) mit elektronischer Dämpferregelung <i>with electronic dampers</i>	Lim. / <i>sedan</i>	01/07-	-975	-1165	115-150	30-55	20-50	2),55)	39025012	2709	-	
			976-1020	-1165	100-200	30-55	20-50	2),55)	39025013	2709	-	
			1021-1100	-1165	165	30-55	20-50	2),55)	39025014	2709	-	
	Coupé / <i>coupé</i>	06/11-	-985	-1105	115	10-40	10-50	2),55)	39025012	2709	-	
			986-1040	-1105	150-225	10-40	10-50	2),55)	39025013	2709	-	
			1041-1075	-1105	120-150	10-40	10-50	2),55)	39025014	2709	-	
C-Klasse / c-class C63 AMG; (204, 204AMG, 204K, 204K AMG)	Lim. / <i>sedan</i>	09/07-	-1110	-1135	336-373	5-30	0-30	2)	-		39025004	3386
	T-Modell / <i>station wagon</i>	02/08-	-1110	-1200	336-373	5-30	0-30	2)	-		39025011	3386
	Coupé / <i>coupé</i>	07/11-	-1090	-1120	336-358	5-30	5-20	2)	-		39025007	3386
C-Klasse / c-class C63 AMG Black Series; (204 AMG)	Coupé / <i>coupé</i>	01/12-	-1090	-1120	380	0-20	0-20	2)	-		39025015	3647
C-Klasse / c-class; (W205); (204)	Lim., Heckantrieb / <i>sedan, 2WD</i>	02/14-	-1075	-1145	85-155	35-70	35-70	2),8),62)	-		39025018	3126
E-Klasse / e-class; (207) mit elektronischer Dämpferregelung <i>with electronic dampers</i>	Coupé; Heckantrieb / <i>coupé; 2WD</i>	05/09-	-1050	-1245	135-225	20-45	15-45	2),55)	39025013	2709	-	
			1051-1145	-1245	120-225	20-45	15-45	2),55)	39025014	2709	-	
	Cabrio / <i>convertible</i>	05/09-	-1050	-1245	135-300	20-45	15-45	2),55)	39025009	2709	-	
			1051-1145	-1245	120-300	20-45	15-45	2),55)	39025010	2709	-	
G-Klasse / g-class; (463)	inkl. / <i>incl. G 55 AMG</i>	09/08-05/12	-2200	-2800	155-373	-	-	400)	-		39025017	6252
G 63 AMG; (463)		06/12-	-2200	-2800	400	-	-	400)	-		39025016	6252
SLK 55 AMG; (172, 172 AMG)		01/12-	-940	-970	310	5-25	15-35	2)	-		39025008	3126
SLS AMG; (197)		03/10-	-920	-1125	420	10-35	10-35	1),37)	-		39025005	9326
	inklusive HLS 4 / <i>inclusive HLS 4</i>	03/10-	-920	-1125	420	10-35	10-35	1),37)	-		39025006	14223
PORSCHE												
911; (997)	Carrera 2, Carrera 2S; Coupé / <i>coupé</i>	07/04-	-775	-1220	239-300	20-45	20-45	1),37)	-		39071001	4168

911; (991)	Carrera 2/2S/GTS, Carrera 4/4S/GTS, Targa 4/4S; <i>coupe + convertible without PDCC</i>	12/11-11/15	-835	-1280	257-316
	Carrera 2/2S/GTS, Carrera 4/4S/GTS, Targa 4/4S; <i>coupe + convertible with PDCC</i>	12/11-11/15	-835	-1280	257-316
	Carrera 2/2S, Carrera 4/4S, Targa 4/4S; <i>facelift; coupe + convertible without + with PDCC</i>	12/15-	-835	-1280	272-309
Cayenne; (92A)	inkl. Cayenne S ohne PASM / <i>incl. Cayenne S without PASM</i>	05/10-	-1490	-1700	155-294
SEAT					
Leon; (1P)	Frontantrieb / 2WD	09/05-	-1035	-1000	63-118
	Federbein Ø 55mm / <i>susp strut Ø 55mm</i>		1036-1105	-1000	100-147
			1106-1170	-1000	100-147
	Cupra, Cupra R	02/07-	1036-1105	-1000	177-228
Leon; (5F)	Frontantrieb; nur Fahrzeuge mit Mehrlenker-Hinterachse 2WD; <i>only vehicles with IRS</i>	11/12-	-965	-1010	63-135
	Federbein Ø 50mm / <i>susp strut Ø 50mm</i>		966-1080	-1010	63-135
	2WD; <i>only vehicles with IRS; susp strut Ø 55mm</i>	11/12-	-1080	-1010	63-135
	Cupra 265, Cupra 280, Cupra 290, Cupra 300	03/14-	-1080	-1010	195-221
Leon; (5F) mit elektronischer Dämpferregelung / <i>with electronic dampers</i>	Frontantrieb; nur Fahrzeuge mit Mehrlenker-Hinterachse 2WD; <i>only vehicles with IRS</i>	11/12-	-965	-1010	63-135
	Federbein Ø 50mm / <i>susp strut Ø 50mm</i>		966-1080	-1010	63-135
	2WD; <i>only vehicles with IRS; susp strut Ø 55mm</i>	11/12-	-1080	-1010	63-135
	Cupra 265, Cupra 280, Cupra 290, Cupra 300	03/14-	-1080	-1010	195-221
Leon ST; (5F) mit elektronischer Dämpferregelung / <i>with electronic dampers</i>	Kombi; Frontantrieb; nur Fahrzeuge mit Mehrlenker-Hinterachse <i>station wagon</i> ; 2WD; <i>only vehicles with IRS</i>	11/13-	-965	-1050	63-135
	Federbein Ø 55mm / <i>susp strut Ø 55mm</i>		966-1090	-1050	63-135
	Frontantrieb / 2WD Cupra 265, Cupra 280, Cupra 290, Cupra 300	03/15-	-1090	-1050	195-221
SKODA					
Octavia; (5E)	<i>sedan, station wagon</i> ; 2WD; <i>only vehicles with IRS</i>	02/13-	-925	-1050	63-132
	Federbein Ø 50mm / <i>susp strut Ø 50mm</i>		926-1090	-1050	63-132
	<i>sedan, station wagon</i> ; 2WD; <i>only vehicles with IRS</i>	02/13-	-925	-1050	63-132
	Federbein Ø 55mm / <i>susp strut Ø 55mm</i>		926-1090	-1050	63-132
RS; Lim., Combi; Frontantrieb / <i>RS; sedan, station wagon</i> ; 2WD	08/13-	926-1090	-1050	135-169	
Superb III; Mod.2016 (3T) mit DCC / <i>with DCC</i>	Combi; 4x4 / <i>station wagon</i> ; 4WD	06/15-	-1060	-1250	110
			1061-1200	-1250	110-206
TESLA					
Model S; (002)	Lim.; Allrad / <i>sedan</i> ; 4WD	06/12-	-1300	-1500	60-169
	Lim.; Allrad; inklusive HLS 4 / <i>sedan</i> ; 4WD; <i>inclusive HLS 4</i>	06/12-	-1300	-1500	60-169
VOLKSWAGEN					
Beetle; (16)	<i>incl. convertible; only vehicles with IRS; susp strut diameter 55mm</i>	10/11-	-1015	-880	77-162
			1016-1080	-880	77-162
Golf V, Golf Plus, Cross Golf, Golf V Variant; (1K, 1KP, 1KM)	Frontantrieb / 2WD	10/03-	-1035	-1000	55-85
	Federbein Ø 55mm / <i>susp strut Ø 55mm</i>		1036-1105	-1000	66-110
			1106-1170	-1000	100-103
	GT	03/06-	-1035	-1000	125
	Federbein Ø 55mm / <i>susp strut Ø 55mm</i>		1036-1105	-1000	125
	GTI	12/04-	-1105	-975	147-169
	GTI (mit DSG-Getriebe / <i>with DSG-gearbox</i>)	12/04-	-1105	-975	147-169
	4motion außer Variant/ 4WD <i>except station wagon</i>	08/04-	-1105	-980	77-110
	Federbein Ø 55mm / <i>susp strut Ø 55mm</i>	08/04-	-1170	-980	77-110
	R32	10/05-	-1110	-1040	184
Golf VI; (1K)	Frontantrieb / 2WD	10/08-	-1035	-1000	55-118
	Federbein Ø 55mm / <i>susp strut Ø 55mm</i>		1036-1105	-1000	66-125
			1106-1170	-1000	100-125

25-50	25-50	1),37)	-		39071002	4376
25-50	25-50	1),37)	-		39071004	4584
25-50	25-50	1),37),403)	-		39071002	4376
35-70	35-70	1),54),62)	-		39071003	4168
30-60	35-65	2),57)	-		39081001	2917
30-60	35-65	2),57)	-		39081002	2917
30-60	35-65	2),57)	-		39081003	2917
15-40	20-40	2),57)	-		39081002	2917
35-65	35-65	2),37),58)	-		39081009	2917
35-65	35-65	2),37),58)	-		39081010	2917
35-65	35-65	2),37),57)	-		39081011	2917
15-45	10-35	2),37),57)	-		39081011	2917
35-65	35-65	2),55),58)	39081004	2396	-	
35-65	35-65	2),55),58)	39081005	2396	-	
35-65	35-65	2),55),57)	39081006	2396	-	
15-45	10-35	2),55),57)	39081006	2396	-	
35-65	35-65	2),55),57)	39081007	2396	-	
35-65	35-65	2),55),57)	39081008	2396	-	
15-45	10-35	2),55),57)	39081008	2396	-	
35-65	35-65	2),58),62)	-		39082003	2917
35-65	35-65	2),58),62)	-		39082004	2917
35-65	35-65	2),57),62)	-		39082001	2917
35-65	35-65	2),57),62)	-		39082002	2917
10-40	15-40	2),57),62)	-		39082002	2917
35-60	20-45	2),55)	39080040	2396	-	
35-60	20-45	2),55)	39080041	2396	-	
5-30	5-30	1)	-		39087001	
5-30	5-30	1)	-		39087002	
35-65	40-70	2),57)	-		39080026	2917
35-65	40-70	2),57)	-		39080027	2917
35-65	35-65	2),57)	-		39080011	2917
35-65	35-65	2),57)	-		39080012	2917
35-65	35-65	2),57)	-		39080013	2917
20-45	10-35	2),57)	-		39080011	2917
20-45	10-35	2),57)	-		39080012	2917
20-45	10-35	2),57)	-		39080012	2917
20-45	10-35	2),57)	-		39080013	2917
35-65	30-55	2),57)	-		39080024	2917
35-65	30-55	2),57)	-		39080025	2917
20-40	15-35	2),57)	-		39080025	2917
35-65	35-65	2),37),57)	-		39080014	2917
35-65	35-65	2),37),57)	-		39080015	2917
35-65	35-65	2),37),57)	-		39080016	2917

	GTI	10/08-	1036-1105	-1000	155-173	10-40	15-40	2,37,57)	-		39080015	2917
	R; inkl. Cabrio / R; incl. convertible	10/09-	-1110	-1150	195-199	5-35	5-35	2,37,57)	-		39080017	2917
Golf VI; (1K) mit DCC / with DCC	Frontantrieb / 2WD Federbein Ø 55mm / susp strut Ø 55mm	10/08-	-1035	-1000	55-118	35-65	35-65	2,55,57)	39080001	2083	-	
			1036-1105	-1000	66-125	35-65	35-65	2,55,57)	39080002	2083	-	
			1106-1170	-1000	100-125	35-65	35-65	2,55,57)	39080003	2083	-	
	GTI	10/08-	1036-1105	-1000	155-173	10-40	15-40	2,55,57)	39080002	2083	-	
	R; inkl. Cabrio / R; incl. convertible	10/09-	-1110	-1150	195-199	5-35	5-35	2,55,57)	39080004	2083	-	
Golf VII; (AU)	Lim.; Frontantrieb; nur Fahrzeuge mit Mehrlenker-Hinterachse <i>sedan</i> ; 2WD; only vehicles with IRS Federbein Ø 50mm / susp strut Ø 50mm	11/12-	-965	-1010	63-135	35-65	35-65	2,37,58)	-		39080033	2917
			966-1080	-1010	63-135	35-65	35-65	2,37,58)	-		39080034	2917
	<i>sedan</i> ; 2WD; only vehicles with IRS; susp strut Ø 55mm	11/12-	-1080	-1010	63-135	35-65	35-65	2,37,57)	-		39080030	2917
	Lim.; 4motion; nur Fahrzeuge mit Mehrlenker-Hinterachse <i>sedan</i> ; 4WD; only vehicles with IRS Federbein Ø 50mm / susp strut Ø 50mm	11/12-	-965	-1010	63-135	35-65	40-65	2,37,58)	-		39080033	2917
			966-1080	-1010	63-135	35-65	40-65	2,37,58)	-		39080034	2917
	<i>sedan</i> ; 4WD; only vehicles with IRS; susp strut Ø 55mm	11/12-	-1080	-1010	63-135	35-65	40-65	2,37,57)	-		39080030	2917
	GTI inkl. "Clubsport" / incl. "Clubsport"	05/13-	-1080	-1010	162-195	25-55	20-45	2,37,57)	-		39080030	2917
	R Lim. / R <i>sedan</i>	11/13-	-1080	-1010	221	10-40	20-45	2,37,57)	-		39080030	2917
Golf VII; (AU, AUV) mit DCC / with DCC	Lim.; Frontantrieb; nur Fahrzeuge mit Mehrlenker-Hinterachse <i>sedan</i> ; 2WD; only vehicles with IRS Federbein Ø 50mm / susp strut Ø 50mm	11/12-	-965	-1010	63-135	35-65	35-65	2,55,58)	39080031	2396	-	
			966-1080	-1010	63-135	35-65	35-65	2,55,58)	39080032	2396	-	
	<i>sedan</i> ; 2WD; only vehicles with IRS; susp strut Ø 55mm	11/12-	-1080	-1010	63-135	35-65	35-65	2,55,57)	39080029	2396	-	
	Lim.; 4motion; nur Fahrzeuge mit Mehrlenker-Hinterachse <i>sedan</i> ; 4WD; only vehicles with IRS Federbein Ø 50mm / susp strut Ø 50mm	11/12-	-965	-1010	63-135	35-65	40-65	2,55,58)	39080031	2396	-	
			966-1080	-1010	63-135	35-65	40-65	2,55,58)	39080032	2396	-	
	<i>sedan</i> ; 4WD; only vehicles with IRS; susp strut Ø 55mm	11/12-	-1080	-1010	63-135	35-65	40-65	2,55,57)	39080029	2396	-	
	GTE	08/14-	-1060	-1010	110	30-60	35-65	2,55,57)	39080042	2396	-	
	GTI inkl. "Clubsport" / incl. "Clubsport"	05/13-	-1080	-1010	162-195	25-55	20-45	2,55,57)	39080029	2396	-	
	R Lim. / R <i>sedan</i>	11/13-	-1080	-1010	221	10-40	20-45	2,55,57)	39080029	2396	-	
	Variant; Frontantrieb; nur Fahrzeuge mit Mehrlenker-Hinterachse <i>station wagon</i> ; 2WD; only vehicles with IRS Federbein Ø 50mm / susp strut Ø 50mm	07/13-	-965	-1050	63-110	35-65	35-65	2,55,58)	39080037	2396	-	
			966-1090	-1050	63-110	35-65	35-65	2,55,58)	39080038	2396	-	
	Variant; Frontantrieb; nur Fahrzeuge mit Mehrlenker-Hinterachse <i>station wagon</i> ; 2WD; only vehicles with IRS Federbein Ø 55mm / susp strut Ø 55mm	07/13-	-965	-1050	63-110	35-65	35-65	2,55,57)	39080035	2396	-	
			966-1090	-1050	63-135	35-65	35-65	2,55,57)	39080036	2396	-	
	R Variant / R <i>station wagon</i>	01/15-	-1100	-1100	221	10-40	10-35	2,55,57)	39080039	2396	-	
Passat (B6, B7); (3C, 3c)	Limousine; Frontantrieb, 4motion inkl. Facelift <i>sedan</i> ; 2WD, 4WD incl. facelift Federbein Ø 55mm / susp strut Ø 55mm	03/05-10/14	-1105	-1150	75-147	35-65	35-65	2,37,57)	-		39080018	2917
			1106-1180	-1150	103-184	35-65	35-65	2,37,57)	-		39080019	2917
	Variant; Frontantrieb, 4motion inkl. Facelift <i>station wagon</i> ; 2WD, 4WD incl. facelift Federbein Ø 55mm	08/05-10/14	-1105	-1230	75-147	35-65	35-65	2,37,57)	-		39080020	2917
			1106-1180	-1230	103-184	35-65	35-65	2,37,57)	-		39080021	2917
Passat (B6, B7); (3C, 3c) mit DCC / with DCC	Limousine; Frontantrieb, 4motion inkl. Facelift <i>sedan</i> ; 2WD, 4WD incl. facelift Federbein Ø 55mm / susp strut Ø 55mm	03/05-10/14	-1105	-1150	75-147	35-65	35-65	2,55,57)	39080005	2083	-	
			1106-1180	-1150	103-184	35-65	35-65	2,55,57)	39080006	2083	-	
	Variant; Frontantrieb, 4motion inkl. Facelift <i>station wagon</i> ; 2WD, 4WD incl. facelift Federbein Ø 55mm	08/05-10/14	-1105	-1230	75-147	35-65	35-65	2,55,57)	39080007	2083	-	
			1106-1180	-1230	103-184	35-65	35-65	2,55,57)	39080008	2083	-	
Passat R36 (B6, B7); (3C, 3c)	Limousine; 4motion / <i>sedan</i> ; 4WD	04/07-10/14	-1180	-1150	220	15-45	15-45	2,37,57)	-		39080019	2917
	Variant; 4motion / <i>station wagon</i> ; 4WD	04/07-10/14	-1180	-1230	220	15-45	15-45	2,37,57)	-		39080021	2917
Passat R36 (B6, B7); (3C, 3c) mit DCC / with DCC	Limousine; 4motion / <i>sedan</i> ; 4WD	04/07-10/14	-1180	-1150	220	15-45	15-45	2,55,57)	39080006	2083	-	
	Variant; 4motion / <i>station wagon</i> ; 4WD	04/07-10/14	-1180	-1230	220	15-45	15-45	2,55,57)	39080008	2083	-	
Passat CC; (3CC)	Frontantrieb, 4motion / 2WD, 4WD Federbein Ø 55mm / susp strut Ø 55mm	06/08-	-1110	-1150	100-147	10-50	15-45	2,37,57)	-		39080018	2917
			1111-1170	-1150	103-220	10-50	15-45	2,37,57)	-		39080019	2917
Passat CC; (3CC) mit DCC / with DCC	Frontantrieb, 4motion / 2WD, 4WD Federbein Ø 55mm / susp strut Ø 55mm	06/08-	-1110	-1150	100-147	10-50	15-45	2,55,57)	39080005	2083	-	
			1111-1170	-1150	103-220	10-50	15-45	2,55,57)	39080006	2083	-	
Passat (B8); (3C) mit DCC / with DCC	Limousine; Frontantrieb / <i>sedan</i> ; 2WD	11/14-	-1030	-1250	88-162	30-55	30-55	2,55)	39080044	-	-	
			1031-1200	-1250	88-162	30-55	30-55	2,55)	39080045	-	-	
	Variant; Frontantrieb / <i>station wagon</i> ; 2WD	11/14-	-1030	-1250	88-162	35-60	35-60	2,55)	39080046	-	-	
			1031-1200	-1250	88-162	35-60	35-60	2,55)	39080047	-	-	
	Variant; 4MOTION / <i>station wagon</i> ; 4WD	11/14-	-1060	-1250	110	35-60	20-45	2,55)	39080040	2396	-	
			1061-1200	-1250	110-206	35-60	20-45	2,55)	39080041	2396	-	
Scirocco; (13)	Frontantrieb / 2WD	09/08-	-1000	-780	90-118	20-55	20-55	2,37,57,93)	-		39080022	2917

	Federbein Ø 55mm / susp strut Ø 55mm		1001-1090	-780	103-162		20-55	20-55	(2),37),57),93)	-		39080023	2917
	R	12/09-	1001-1090	-780	195-206		10-45	10-45	(2),37),57),93)	-		39080023	2917
Scirocco; (13)	Frontantrieb / 2WD	09/08-	-1000	-780	90-118		20-55	20-55	(2),55),57),93)	39080009	2083	-	
mit DCC /	Federbein Ø 55mm / susp strut Ø 55mm		1001-1090	-780	103-162		20-55	20-55	(2),55),57),93)	39080010	2083	-	
with DCC	R	12/09-	1001-1090	-780	195-206		10-45	10-45	(2),55),57),93)	39080010	2083	-	